

## SUPREME STRIPING PAINT

- Top of line striping paint with the highest pigment, solids-to-weight ratio attainable with today's packaging technology.
- Solvent based for road surfaces
- Water based for athletic fields and road surfaces
- Fast drying: 15 minutes to touch
- VOC compliant and lead-free
- One case will yield a 4" strip approximately 700 linear feet
- Durable, long-lasting colors
- Non-clogging tip
- Apply with #800 or #801 Vers-A-Striper (see below)
- 20 oz. can (18 oz. net) / 12 per case / 19 lbs. per case



SOLVENT-BASED		WATER BASED	
<b>S701</b>	Supreme White	<b>S790</b>	Athletic White
<b>S702</b>	Supreme Yellow	<b>S791</b>	Athletic Yellow
<b>S750</b>	Traffic Blue	<b>S792</b>	Athletic Blue
<b>S770</b>	Asphalt Black	<b>S793</b>	Athletic Red

## STRIPING APPLICATORS

Ideal for parking lots, warehouse aisles, school yards, apartment complexes, road surfaces, tennis courts, fairgrounds, factory safety aisles, baseball and track fields, and athletic field striping.

- Makes perfect radius turns without special attachments
- Includes deflector discs for sharp, crisp edges
- Easy assembly and operation
- Stripe widths from 2" to 4"
- Lightweight and portable
- Rust-proof construction
- Superior design

**No. S800** Vers-A-Striper® – Pavement  
Standard wheels for road surfaces  
16 lbs. Net weight

**No. S801** Vers-A-Striper® – Turf and Dirt  
8" wheels for road surfaces and turf and dirt  
18 lbs. Net weight



S800 Vers-A-Striper®



S801 Vers-A-Striper®

## BEE-LINER PAINT STRIPERS

- Stainless steel tank for long life
- Full floating spray head for left or right hand striping
- Can be used on pavement and turf



Model 400



Model 600



Model 700

Model No.	Capacity	Air Tank	Front Wheels	Rear Wheels	Shipping Weight
<b>Model 400</b>	3-gallon	Hand Pump	7" solid	7" solid	25 lbs.
<b>Model 600</b>	3-gallon	5-gallon	8" solid	10" pneumatic	60 lbs.
<b>Model 700</b>	7-gallon	5-gallon	8" solid	10" pneumatic	85 lbs.

STRIPING PAINT & PAINT STRIPERS



**Model 4000**

- 4 HP GX series commercial OHV 4-cycle engine with oil alert
- LP Piston pump, triple-life packings, externally adjustable
- Operates at low speeds for minimal vibration and noise levels
- Compact square tube frame is lightweight yet strong
- Easy to use and quick to clean—ideal for one-man operation
- Foot operated parking brake holds the machine on inclines
- Handlebars adjust up & down and mount at either end
- Bucket holder adjusts for oversized containers
- Front swivel wheel with turnbuckle adjustable RADIUS MEMORY™
- Spray gun mounts on any corner with quick release for curb and stencil painting



**Model 4500**

- Dependable 5.5HP OHV commercial engine with oil alert
- Airlessco's patented SL Slow-Stroker™ Piston type paint pump
- Powder coated frame, anodized and chrome plated heavy duty hardware
- Front wheel can remain locked for straight lines, or be operator released from the handlebars allowing the front wheel to swivel when painting curves or circles.
- Adjustable turnbuckles provide RADIUS MEMORY™ for consistent striping of arcs and circles
- High flow, high pressure filter filters the paint without restricting paint flow to the guns
- Handlebars can be mounted at either end of the frame with quickly adjustable height to suit operator
- Gun mount is adjustable to spray any angle including sideways to paint curbs
- Available with optional 2nd gun kit



*shown with 2nd gun kit*

**Model 6000**

- 5.5 HP OHV commercial grade engine with oil alert
- SL Slow-Stroker™ Piston type paint pump
- Extra large pneumatic tires and tapered wheel bearings
- Move gun assembly in seconds; left/right, front/back—no tools needed
- Adjustable height handle attaches to either end of the frame. Allows striper to have a trailing swivel wheel when desired
- Rear axle position is adjustable to get perfect balance when using oversized containers
- Dual swivel wheels with turnbuckle based RADIUS MEMORY™ counter rotate for easier line up of the striper when doing parking stalls
- Two-position lock on the front caster allows operator to stripe to a wall or to lengthen the wheelbase for increased directional stability when painting long lines
- Available with optional 2nd gun kit

AIRLESS PAINT STRIPERS

Model No.	Power	Pump	Annual Usage	Max. Pressure	Max. Output	Hose Size	2nd Gun Kit*	Weight
4000	4 HP Honda	LP Piston	500 - 2500 gal.	2500 PSI	0.8 GPM	¼" x 50'	N/A	190 lbs.
4500	5.5 HP Honda	SL Slow Stroker Piston™	up to 7500 gal.	500 - 3000 PSI	1.5 GPM	⅜" x 50'	Available	250 lbs.
6000	5.5 HP Honda	SL Slow Stroker Piston™	up to 7500 gal.	500 - 3000 PSI	1.5 GPM	⅜" x 50'	Available	275 lbs.

\* optional


**ACCESSORIES**

- No. 100-064** (12) paint strainers to cover suction filter
- No. 100-065** (12) paint strainers for 5-gallon containers
- No. 010-019** 1-gallon bottle pump conditioner for piston pumps to prevent packing wear
- No. 114-030** Stay Clean™ spray protectant for machine to prevent paint from sticking to it
- No. 188-392** Throat Seal Oil used in wet cup of piston pump to prevent damage to upper packing
- No. 305-186** 1-gun bead dispenser kit 4" and 6"
- No. 305-187** 2-gun bead dispenser kit 4" and 6" (Model 4500 and 6000 only)
- No. 305-265** R/S Ride & Stripe option: 5.5 HP Honda electric start engine powers hydraulic wheel motors for productivity striping up to 10 MPH. Foot pedal controls forward/reverse motion. Attaches to model 6000 only with standard trailer/ ball hitch

## TRAFFIC PAINT



- Lead-free traffic paint
- High hiding
- May be applied to concrete and asphalt
- Typical uses are streets, highways and parking lots
- Other colors available include blue (disabled parking), red (curbs) and black
- Also available in 1 gallon pails
- Weight: 65 lbs. / 5 gallon pail
- *OUR QUALITY LASTS LONGER!*



## GLASS BEADS

- Optimal embedment for maximum reflectivity
- Moisture proof properties to ensure application ease
- Encapsulated to promote maximum adhesion
- 50 lb. bags
- *Specify whether beads are for water based or oil based paint*

### No. BEADS


Paint Part No.	Type	Resin Type	Clean-up	Solids by Volume	Dry time @ 70° / 50% RH
WHITE-5W	Waterbourne	Acrylic	Water	41%	Tack free less than 45 minutes
YELLOW-5W	Waterbourne	Acrylic	Water	41%	Tack free less than 45 minutes
WHITE-5	Alkyd	Alkyd	Toluol	48%	Tack free less than 30minutes
YELLOW-5	Alkyd	Alkyd	Toluol	48%	Tack free less than 30 minutes

## FORM-FLEX® MARKING STENCILS

- Lightweight, easy to transport
- 1/8" thickness made of 100% virgin polymers

- Won't bend, break, crease or load up with paint
- Paint easily peels from polymer when dry

- Fast easy clean up
- Over 100 standard stencils



## PREFORMED THERMOPLASTIC PAVEMENT MARKINGS



- Bonds to all primary substrates: asphalt, concrete, brick
- Year round application in temperatures as low as 32° F
- Excellent retroreflectivity by incorporating both large and standard sized glass beads
- No cracking due to material contracting or expanding
- No primers or adhesives needed
- Impervious to vehicle oil and grease
- Environmentally safe: contains no VOCs; no primers / adhesives; lead free pigments
- All standard legends and symbols comply with MUTCD standards
- Available in 90 and 125 mil thickness
- Easy to apply






TRAFFIC MARKING

SURVEY MARKING PAINT	TURF MARKING PAINT	MARKING STICK
		
<ul style="list-style-type: none"> <li>• 20-oz. Aerosol (17-oz. net)</li> <li>• Best quality for visibility, retention and durability</li> <li>• Adheres to almost any surface including wood, concrete, asphalt, brick &amp; gravel</li> <li>• Non-clogging can empties contents completely</li> <li>• Patented spray-through cap can be left on or easily removed</li> <li>• Non-freezing and operational to 14°F</li> <li>• Colors meet standards for OSHA and APWA/One Call Systems</li> <li>• Not designed for turf surfaces—see Turf Marking Paint</li> <li>• 12 cans per case / 18 lbs. per case</li> <li>• Use with S245 Marking Stick</li> </ul> <p> <b>S201</b> Red      <b>S212</b> Purple  <b>S202</b> Yellow    <b>S220</b> Fluorescent Red  <b>S203</b> Blue      <b>S222</b> Fluorescent Orange  <b>S204</b> Green     <b>S224</b> Fluorescent Green  <b>S207</b> White     <b>S229</b> Fluorescent Pink                 </p>	<ul style="list-style-type: none"> <li>• 20-oz. Aerosol (17-oz. net)</li> <li>• Patented water-based formulation for turf surfaces</li> <li>• Will not damage or burn grass roots</li> <li>• Provides a mark that will last up to two months</li> <li>• Can be cut off after the grass has grown out</li> <li>• Good initial visibility</li> <li>• Will also adhere to asphalt, concrete and other surfaces</li> <li>• Fast clean-up with soap and water</li> <li>• Lead free, non-clogging formulation</li> <li>• 12 cans per case / 18 lbs. per case</li> </ul> <p> <b>S290</b> Blue            <b>S291</b> White  <b>S292</b> Red            <b>S293</b> Yellow                 </p>	<ul style="list-style-type: none"> <li>• Sturdy, lightweight construction</li> <li>• Single hand operation</li> <li>• Contoured handle for easy comfortable grip</li> <li>• Convenient trigger actuator</li> <li>• Can be placed in applicator with cap on</li> <li>• Approximately 32" long</li> <li>• 1 unit / package</li> <li>• Shipping weight 2 lbs.</li> </ul> <p><b>S245</b> Marking Stick</p>

TEMPORARY PAVEMENT STRIPING TAPE	TEMPORARY CHIP SEAL MARKERS (TRPM)	TEMPORARY OVERLAY MARKER (TOM)
		
<ul style="list-style-type: none"> <li>• For temporary traffic control in work zones</li> <li>• High index glass beads for maximum reflectivity</li> <li>• Built on a rugged conformable aluminum base that molds to any road surface</li> <li>• Simple unwinding and superior holding power</li> <li>• 2 rolls per box / 18 lbs. per package</li> </ul> <p> <b>PAVE 100W</b> 4" x 100-yard white  <b>PAVE 100Y</b> 4" x 100-yard yellow                 </p>	<ul style="list-style-type: none"> <li>• Effective guidance in work zones both day and night</li> <li>• Easy placement prior to chip sealing</li> <li>• Remove protective cover after sealing to expose a bright surface day and night and in all conditions</li> <li>• Colors: White, Yellow</li> <li>• Package: 500 markers per package</li> </ul> <p> <b>TRPM-W1</b> White 1-way marker  <b>TRPM-Y2</b> Yellow 2-way marker                 </p>	<ul style="list-style-type: none"> <li>• Identical body to TRPM marker without the clear plastic removable cover</li> <li>• Used for lane delineation in temporary work zones that involve asphalt paving projects</li> <li>• Colors: White, Yellow</li> <li>• Package: 500 markers per package</li> </ul> <p> <b>TOM-W1</b> White 1-way marker  <b>TOM-Y2</b> Yellow 2-way marker                 </p>

**IMPACT RECOVERY**

DELINEATOR POSTS	TUBULAR MARKERS	PARKING LOT
		
<ul style="list-style-type: none"> <li>• Used for indicating alignment in roadways</li> <li>• Unique reactive internal spring for self-righting</li> <li>• 48" round post with flat top for sheeting both sides</li> <li>• Available with fixed (F) or portable base (P)</li> <li>• Post colors: white (W), yellow (Y) or orange (O)</li> <li>• Sheeting Colors: white (W), yellow (Y) or orange (O)</li> </ul> <p><b>DP48-*_**_***</b></p> <p>* - insert base type                  ** - insert post color                  *** - insert sheeting color</p>	<ul style="list-style-type: none"> <li>• Used for dividing opposing lanes of traffic or to delineate the edge of travel lanes</li> <li>• 48" post for 360-degree reflective bands</li> <li>• Available with fixed (F) or portable base (P)</li> <li>• Post colors: white (W), yellow (Y) or orange (O)</li> <li>• Sheeting colors: white (W), yellow (Y) or orange (O)</li> </ul> <p><b>TP48-*_**_***</b></p> <p>* - insert base type                  ** - insert post color                  *** - insert sheeting color</p>	<ul style="list-style-type: none"> <li>• Perfect for high traffic parking lots</li> <li>• Useful in lots without parking stops</li> <li>• 66" post with 12 x 18" reflective sign</li> <li>• Available with fixed (F) or portable base (P)</li> <li>• Available with our without Van Accessible legend</li> <li>• Post Color: White</li> <li>• Sign Color: Green / Blue / White</li> </ul> <p><b>260-F</b> Disabled parking sign with fixed base  <b>260-P</b> Disabled parking sign with portable base</p>

**PARKING CURBS AND SPEED BUMPS**

- Manufactured from 100% recycled rubber
- Lightweight in design for easy handling; can be installed by one person
- Yellow polyurethane glass-beaded paint for maximum reflectivity
- Will not warp, crack, chip or rot
- Resistant to UV, moisture, oil and extreme temperature variations



**PARKING CURB ▲**

- 1/10 weight of concrete
- Better visibility than concrete curbs
- Easy to install

**SPEED BUMP ▼**

- Withstands 120,000 lbs.
- Channeled bottom allows for cabling or piping and facilitates drainage
- Built in reflectors for added safety and visibility



Part No.	Description	Weight	Spikes*
<b>2185024</b>	Parking curb 4" x 6" x 36"	17 lbs.	2
<b>2185036</b>	Parking curb 4" x 6" x 72"	34 lbs.	4
<b>2185050</b>	Speed bump 2½" x 12" x 48"	34 lbs.	3
<b>2185074</b>	Speed bump 2½" x 12" x 72"	51 lbs.	4
<b>2192326</b>	14" rebar spike (specify for concrete or asphalt)		

PARKING CURBS & SPEED BUMPS

## DELINEATORS CARSONITE® INTERNATIONAL

### ROADMARKER®

Excellent for straight-aways and general delineation. The "three-rail" design withstands high-speed vehicle impacts with flexibility and structural integrity.



#### No. CRM-375

Width: 3.75"  
Length: 62", 66", 72"  
Weight: 2.5 lbs. (62")  
Colors: White, Yellow  
Package: 20 per case  
Sheeting: White, Yellow  
High Intensity Grade

### CURV-FLEX®

Ideal for on / off ramps, curves, and other high-impact areas. Greater flexibility enables Curv-Flex to withstand direct-tire and high-speed impacts.



#### No. CFRM-400

Width: 4"  
Length: 62", 66", 72"  
Weight: 1.98 lbs. (62")  
Colors: White, Yellow  
Package: 25 per case  
Sheeting: White, Yellow  
High Intensity Grade

### HAZARD MARKER®

Combines a semi-rigid support post with high-performance composite sign material for a unit that flexes upon impact. Withstands gunshots, vandalism, and corrosive environments.



#### No. CSS-375 (Post)

Width: 3.75"  
Length: 72", 84"  
Weight: 3.5 lbs. (72")  
Colors: White  
Package: 20 per case  
Signs: 12" x 36" Hazard Markers  
12" x 18" Chevrons  
Colors: Black/Yellow High Intensity  
Package: 4 signs per case

### GUARD POST COVERS

- Inexpensive solution to guard post maintenance
- Bright yellow color for improved visibility
- Polyethylene material with UV stabilizers
- Ideal for loading docks, parking facilities, electrical distribution and petroleum storage areas
- Complete with hardware

#### No. IGP404802U

#### No. IGP604802U



### INSTALLATION TOOLS

#### No. D400 Post Driver

- For CRM-375, CFRM-400 and CSS-375 posts
- For posts 5' to 6'

#### No. P100 Pilot Hole Driver

- For CRM-375, CFRM-400 and CSS-375 posts
- Recommended for hardpan or rocky soils

### SURFACE MOUNT DELINEATORS

#### FLEX-GUIDE 300 SERIES

- For parking lots, traffic separations, islands and work zones.
- Highly visible both day and night
- Heavy duty urethane absorbs repeated vehicle impacts
- Clover-leaf design provides better rebound than round tubes
- All components sold separately

No. FG336UR-2Y 36" Yellow heavy duty urethane channelizer with (2) wraps yellow high intensity sheeting

No. FG300HD Heavy duty base unit with 2 pins



#### FG300 CURB SYSTEM

- Surface Mount Lane Separation System
- Installation is quick and cost-effective
- Utilizes FG300 Markers with low profile curb system
- Emergency vehicles can readily cross over curb system
- Perfect for: railroad crossings, control school drop-off and pick-up lanes, thru-lane protection, work zones, round-a-bouts, bicycle and pedestrian lanes
- All components sold separately

No. FG300-CURB-32 32" standard grade curb

No. FG300-CURB-BASE 8" base unit with 2 pins

No. FG300-STUD 2" side mount reflectors \*

\* Recommend (4) per curb (2 each side)

FLEXIBLE MARKERS