


**HEAD PROTECTION** *SEI certified*  
**PROTECTIVE CAPS**

	Part No.	Color	Part No.	Color
	630	White	634	Orange
	631	Yellow	635	Green
	632	Red	638	Ratchet replacement suspension
	633	Blue	639	Replacement brow pad 10/pkg
<ul style="list-style-type: none"> <li>• Complies with 1998 ANSI standards for Type I, classes E, G and C</li> <li>• Provides excellent electrical insulation and impact resistance</li> <li>• Six point nylon suspension with ratchet adjustment for accurate sizing</li> <li>• Equipped with brow pad and universal accessory slots for faceshields (see 681 below)</li> <li>• 10 caps / carton</li> <li>• Shipping weight: 12 lbs. / carton</li> </ul>				

**WINTER LINERS & FACE PROTECTION**

			
<p><b>No. KB-1</b>                      Elasticized knit ear band. Pulls down over hard hat brim.                      12 / pkg.                      Shipping weight: 1.3 lbs. / pkg.</p>	<p><b>No. FL</b>                      Durable two-ply outer shell with soft red lining. Hook and loop chin closure.                      12 / pkg.                      Shipping weight: 1.8 lbs. / pkg.</p>	<p><b>No. HJ-11</b>                      Comfortable quilted liner with red flannel lining. Adjustable hook and loop chin closure.                      12 / pkg.                      Shipping weight: 1.2 lbs. / pkg.</p>	<p><b>No. GL-5W</b>                      Rugged two-ply outer shell with heavy sherpa lining. Long neck design with hook and loop chin closure.                      3 / pkg.                      Shipping weight: 1.2 lbs. / pkg.</p>
			
<p><b>CAP ADAPTERS</b>  <b>No. 681</b></p> <ul style="list-style-type: none"> <li>• Blue slotted di-electric</li> <li>• Mounts windows directly to slotted protective caps only</li> <li>• Secured by blades that snap into cap slots</li> <li>• Windows sold separately</li> <li>• Shipping weight: 1 lb. each</li> </ul>	<p><b>HEADGEAR</b>  <b>No. 677</b></p> <ul style="list-style-type: none"> <li>• Venom™ Headgear</li> <li>• Lightweight construction and contemporary design</li> <li>• Extra soft brow pad and nape strap for superior comfort</li> <li>• Three-part adjustment system for long-wearing applications</li> <li>• Windows sold separately</li> </ul>	<p><b>WINDOWS</b>  <b>No. 660C Clear</b>  <b>No. 660G Gray</b></p> <ul style="list-style-type: none"> <li>• Complies with ANSI and CSA standards</li> <li>• Universal hole pattern 8"x15½"</li> <li>• 10 per package</li> <li>• Shipping weight: 5 lbs. / pkg.</li> </ul>	

HEAD & FACE PROTECTION

**EYE PROTECTION  
SAFETY GLASSES & VISITORS SPECTACLES**

**EYE, EAR & MOUTH PROTECTION**

		
<p><b>Starlite</b></p> <ul style="list-style-type: none"> <li>• Lightweight, low cost protection</li> <li>• Wraparound body provides side protection</li> <li>• Scratch resistant 100% polycarbonate lens</li> <li>• 10 / box</li> </ul> <p><b>No. 4680</b> Clear Temple / Clear Lens  <b>No. 4683</b> Gray Temple / Gray Lens  <b>No. 468M</b> Gray Temple / Mirrored Lens</p>	<p><b>Starlite SQUARED</b></p> <ul style="list-style-type: none"> <li>• Lightweight, low cost protection</li> <li>• Soft, pliable temples and a fingertip nosepiece offer long-wearing comfort</li> <li>• Scratch resistant 100% polycarbonate lens</li> <li>• 10 / box</li> </ul> <p><b>No. 4480</b> Clear Temple / Clear Lens  <b>No. 4483</b> Gray Temple / Gray Lens  <b>No. 448M</b> Gray Temple / Mirrored Lens</p>	<p><b>Hawk</b></p> <ul style="list-style-type: none"> <li>• Feather-light comfort all day</li> <li>• Flexible, adjustable soft vinyl temples</li> <li>• Hardcoated scratch resistant lens</li> <li>• 10 / box</li> </ul> <p><b>No. 14GB80</b> Black Frame / Clear Lens  <b>No. 14GB83</b> Black Frame / Gray Lens  <b>No. 14GB8M</b> Black Frame / Silver Mirrored Lens</p>
		
<p><b>Coveralls</b></p> <ul style="list-style-type: none"> <li>• Designed to wear over prescription eyewear</li> <li>• Impact resistant one-piece polycarbonate lens</li> <li>• Lightweight comfort, adjustable temples</li> <li>• 10 / box</li> </ul> <p><b>No. 6880</b> Clear Polycarbonate  <b>No. 6883</b> Gray Polycarbonate</p>	<p><b>Visitor Spectacles</b></p> <ul style="list-style-type: none"> <li>• Lightweight 100% polycarbonate construction</li> <li>• Impact Resistant</li> <li>• Easy-to-wear panoramic design</li> <li>• Vented sideshields</li> <li>• 10 / box</li> </ul> <p><b>No. 5880</b> Clear Polycarbonate</p>	<p><b>Goggles</b></p> <ul style="list-style-type: none"> <li>• Protection against dust and flying debris</li> <li>• Polycarbonate lens with soft vinyl frame and hassle-free headbands</li> <li>• Worn alone or over prescription glasses</li> <li>• 10 / box</li> </ul> <p><b>No. 202C</b> Perforated Vent / Clear Lens  <b>No. 206C</b> Cap Vent / Clear Lens</p>
<p><b>HEARING PROTECTION</b></p>		<p><b>RESPIRATORY PROTECTION</b></p>
		
<p><b>No. 95134</b></p> <ul style="list-style-type: none"> <li>• Mid-level hearing protection</li> <li>• Three position di-electric earmuff with padded headband</li> <li>• Lightweight 8.7 oz. for longwearing comfort</li> <li>• 25 NRR</li> <li>• Shipping weight: 1 lb.</li> </ul>	<p><b>No. 92202 Uncorded</b>, 200 / box  <b>No. 92212 Corded</b>, 100 / box</p> <ul style="list-style-type: none"> <li>• Extremely smooth tapered design for easy insertion</li> <li>• Self adjusting design exerts little pressure on ear canal</li> <li>• Available with or without breakaway cord</li> <li>• Shipping weight: 1 lb. / box</li> <li>• <i>Box quantities only.</i></li> </ul>	<p><b>No. 80101 Peakfit™</b></p> <ul style="list-style-type: none"> <li>• N95 Particulate Respirator</li> <li>• Filtration against aerosols free of oils</li> <li>• Large contoured design ensures easier breathing</li> <li>• 20 / box</li> <li>• Shipping weight: 1 lb. / box</li> <li>• <i>Box quantities only.</i></li> </ul>

**HAND PROTECTION  
INDUSTRIAL GRADE**

HAND PROTECTION

<p><b>WORK GLOVES</b></p> 			
<p><b>No. R5045</b> 8 oz. white knit wrist cotton.</p>	<p><b>No. 1109</b> 9 oz. brown jersey.</p>	<p><b>No. 663</b> Golden Chore knit wrist.</p>	<p><b>No. R5101</b> Leather palm, striped back, knit wrist.</p>
		<p><b>PVC GLOVES</b></p> 	
<p><b>No. R5214</b> Leather palm, striped back, safety cuff.</p>	<p><b>No. 99-PLUS</b> Titan X™ synthetic leather palm, action spandex back, reinforced palm and fingers.</p>	<p><b>No. R6309</b> Black PVC fully coated, double dipped, rough finish, jersey lining, knit wrist.</p>	<p><b>No. R6314</b> Black PVC fully coated, double dipped, rough finish, jersey lining, 14" gauntlet.</p>
	<p><b>WINTER GLOVES</b></p> 	<p><b>DRIVING GLOVES</b></p> 	
<p><b>No. 2300</b> Atlas™ brand rubber coated cotton/polyester string knit.</p>	<p><b>WORK GLOVES</b> <b>No. R5PL Large</b> <b>No. R5PXL XL</b> Pigskin leather palm work glove with MultiBlend™ insulation.</p>	<p><b>DRIVING GLOVES</b> <b>No. 15PK-L Large</b> <b>No. 15PK-XL XL</b> Grain pigskin palm ImpactNylon™ halfback with MultiBlend™ insulation, storm cuff.</p>	<p><b>No. 102</b> Knit glove liner.</p>

**RAINSUITS**



**No. 80**

- Color Yellow
- Jacket With hood snaps
- Pant Bib trouser with fly front
- Hood Detachable
- Sizes M – 3X
- Shipping weight: 5 lbs. / suit

**FEATURES:**

- Nylon / Polyurethane •
- 4.5 oz / yd<sup>2</sup> •
- Waterproof •
- Lightweight & Flexible •
- Durable •
- Non-Conductive •
- Limited Flame Resistance •
- Made in USA •

**Ideal for:**

- Construction Crews •
- Municipalities / DOTs •
- Tree Trimming •
- Sanitation Departments •



**No. 80-ANSI3** (ANSI 107-2004 Class 3 compliant)

- Color Fluorescent Lime Yellow
- Jacket With hood snaps 3M Scotchlite
- Pant Bib trouser with snap fly
- Hood Detachable
- Sizes M – 3X
- Shipping weight: 5 lbs. / suit

**BOOTS**



**No. R4550**

- Yellow 17" pullover
- Rubber over the shoe style
- Wide throat for easy on/off with work shoes
- Net lining helps resist tearing
- Each pair in poly bag
- Ozone resistant
- Whole sizes: 7-13
- Shipping weight: 6 lbs. / pair



**No. R4300**

- 15" premium knee boot
- Steel safety toe ANSI Z41.1 1983/75
- Heavy duty cleated outsole
- Steel shank and arch support
- Flexible upper for comfort
- Stretch knit lining
- Cushioned insole, reduces fatigue
- Whole sizes: 7-13
- Shipping weight: 6 lbs. / pair



**No. R4400**

- 34" insulated premium hip boot
- Felt sole insulation
- Foam side insulation
- Steel safety toes rated ANSI 74.1 1983/75
- Steel midsole for arch support
- Side strap and belt loop
- Whole sizes: 7-13
- Shipping weight: 11 lbs. / pair



**ICE-WALKER**

- Lightweight form fitting design
- Easy on and off
- Increases traction; helps prevent falling
- Ice Diamond™ Carbide replaceable spikes
- Retains elasticity and fit in all temperatures
- Shipping weight: 1lb. / pair



Part No.	Size	Womens	Mens
GRIP-S	S	5 – 8	4 – 7
GRIP-M	M	9 & up	8 – 10
GRIP-L	L	—	11 – 14
GRIP-SPIKE	6-pk replacement spikes		

RAINSUITS & FOOTWEAR




STANDARD SAFETY VESTS		FLAGGERS BALL CAP
		
<ul style="list-style-type: none"> <li>• 100% polyester mesh</li> <li>• ¾" x 8" elastic side straps</li> <li>• ¾" x 2" front hook &amp; loop closure</li> <li>• One size fits most</li> </ul>		<ul style="list-style-type: none"> <li>• 2" wide super bright silver retroreflective tape</li> <li>• Breathable, washable mesh fabric</li> <li>• Adjustable Velcro strap (one size fits all)</li> </ul>
<p><b>No. 25ECON</b> Dayglow orange - no stripe</p> <p><b>No. 25ECON-S</b> Dayglow orange/lime stripe</p> <p><b>No. 219524</b> Lime/red-orange stripe</p>		<p><b>No. 3013114</b> lime w/silver reflective</p>

**ANSI / ISEA 107-2004 COMPLIANT VESTS**

The American Standard for High Visibility Apparel is published and distributed to all areas of federal, state and local governments as a guide for high visibility safety apparel. It represents what the industry and users view as necessary to adequately protect workers from the hazards associated with low visibility.

**Class II Garments** are intended for users where greater visibility is desired during inclement weather conditions and where work activities take place in close proximity to vehicle traffic and where vehicle and moving equipment speeds exceed 25 MPH.

**Class III Garments** are intended to provide the highest level of visibility for workers exposed to significantly higher vehicle speeds and / or reduced sign distances, and where the wearer is visible at a minimum distance of 1280 feet and must be identifiable as a person.

CLASS II SAFETY VESTS	CLASS II T-SHIRTS															
																
<ul style="list-style-type: none"> <li>• Lime color</li> <li>• Outside Zipper Pocket</li> <li>• Expandable Radio Pocket</li> <li>• 4" Orange/Silver Stripe</li> <li>• Solid Front, Cool Mesh Back</li> <li>• Large 5" x 7" Inner Pocket</li> <li>• Zipper Closure</li> <li>• Sizes Available M through 5XL</li> </ul>	<ul style="list-style-type: none"> <li>• Chest pocket with continuous super bright silver retroreflective tape</li> <li>• Ribbed collar &amp; cuffs with a stitched hem for added comfort and durability</li> <li>• High visibility t-shirts meet ANSI/ISEA 107-2004 Class 2 requirements</li> <li>• CoolDRY 100% polyester moisture management fabric wicks away excess moisture</li> </ul>															
<p><b>No. V1100</b></p>																
<p><b>CLASS III SAFETY VESTS</b></p> 	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Size</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>3012947</td> <td>Large</td> <td>Lime</td> </tr> <tr> <td>3012948</td> <td>XL</td> <td>Lime</td> </tr> <tr> <td>3012949</td> <td>2XL</td> <td>Lime</td> </tr> <tr> <td>3012950</td> <td>3XL</td> <td>Lime</td> </tr> </tbody> </table>	Part No.	Size	Color	3012947	Large	Lime	3012948	XL	Lime	3012949	2XL	Lime	3012950	3XL	Lime
Part No.	Size	Color														
3012947	Large	Lime														
3012948	XL	Lime														
3012949	2XL	Lime														
3012950	3XL	Lime														
<ul style="list-style-type: none"> <li>• Lime color</li> <li>• Outside Zipper and Pencil Pockets</li> <li>• 4" Orange/Silver Stripes</li> <li>• All Mesh Vest</li> <li>• Zipper Closure</li> <li>• Sizes Available M through 5XL</li> </ul>																
<p><b>No. V155</b></p>																



## TRAFFIC CONES

see  
cone signs  
on page 38



Part No.	Height	Weight	Pkg. Qty.
GLO 12	12"	1¼ lbs.	30
GLO 18	18"	3 lbs.	20
GLO 28	28"	7 lbs.	10
GLO 28H	28"	10 lbs.	10
GLO 36	36"	9½ lbs.	10

**REFLECTIVE CONE BAR**  
Adjusts from 48" – 81" and fits all standard 18", 28" and 36" traffic cones; Use to delineate pedestrian areas, define areas of danger or caution in construction areas, or to cordon off confined space work areas. Black & yellow  
**No. RCB**

### OPTIONS



**No. SL4** 4" upper reflective collar  
**No. SL6** 6" upper reflective collar  
**No. SL4L** 4" lower reflective collar  
Ask about Custom Stenciling

## LOOPER CONES



- Looped handle allows for easy movement and handling of several loopers at one time
- Made of durable bright orange low density polyethylene
- Reinforced handle design prevents cones from sticking when stacked
- Available with 16 and 30 lbs. molded recycled rubber bases
- Available in several reflective sheeting configurations (high performance and diamond grade)
- Recessed areas protect sheeting from being scratched
- Handle has a built in attachment to accept a standard barricade light

Part No.	Description*	Ship. Wt.
46266-CRU-16HP	Looper cone with 16 lbs. base	19 lbs.
46266-CRU-30HP	Looper cone with 30 lbs. base	33 lbs.

\*shown with (4) 6" high performance collars

## CHANNELIZERS



Channelizer drums are available in rugged, durable high density or impact resistant, reshapeable low density orange polyethylene with UV inhibitors to minimize fading. Drum tested and certified to meet NCHRP-350 crashworthy requirements and meets or exceeds MUTCD specifications.

"D"-shaped drum design minimizes rolling after impact and separation from base. Tapered design allows stacking with or without barricade lights for easy handling and storage. Drum minimum width is 18" throughout its 42" height.

Two mounting holes for optional barricade lights and built-in carrying and dragging handle add to its ease of use.

Available Sheeting Options:  
4" or 6" white or orange  
Engineer Grade sheeting

4" or 6" white or orange High Intensity sheeting.  
4" or 6" white or orange Diamond Grade sheeting.  
Please check sheeting specifications in your area.

**BARRICADES**

**TYPE I**



**WOOD BARRICADE SYSTEMS**

45" high rugged steel & plywood barricade. Panels are made of 1/2" plywood painted white. Reflective panels are covered with Engineer Grade Sheeting. Shipping weights 16 – 19 lbs.

- No. 10024-T1** – 24" Type I Barricade 8" reflective top panel & 6" painted bottom panel
- No. 10024-T2** – 24" Type II Barricade 8" reflective top & bottom panels
- No. 10036-T2** – 36" Type II Barricade 8" reflective top & bottom panels

**TYPE II**



**PLASTIC BARRICADE SYSTEMS**

100% recyclable, lightweight plastic 24" x 26 3/4" Type I or Type II Barricades come with either Engineer Grade or High Intensity sheeting and either standard or San-Fil bottom (which holds up to 15 lbs. of sand). All parts are replaceable and stenciling is optional. Shipping weights 11 – 13 lbs.

- No. 37208** – Type I Barricade with 8" x 24" top & 6" x 24" bottom
- No. 37212** – Type I Barricade with 12" x 24" top & 6" x 24" bottom
- No. 37408** – Type II Barricade with 8" x 24" top & 8" x 24" bottom

*When ordering please specify Engineer Grade or High Intensity and standard or San-Fil.*



**TYPE III**



**T3B™ PLASTIC TYPE III BARRICADE SYSTEM**

- 3 each T3B polycomb panels available in 4, 6, 8, 10 and 12-foot lengths
- Engineer grade, High Intensity grade or Diamond grade sheeting available
- *Specify single or double faced panels*
- (2) 1 3/4" plastic X-tube upright 5 ft. length standard (optional 14 gauge square steel)
- (2) 2" square steel feet with 6" riser stub standard
- Mounting hardware included
- Shipping weight: 63 lbs. each (8' barricade system)

**No. TYPE III**

*see barricade lights on page 17*

**TRAFFIX A-CADES™**

This impact resistant polyethylene, rigid, A-frame barricade is sand fillable (holds up to 15 lbs. of sand) for ballasting, stackable for storage and transportation, and accepts a standard barricade light.

Accepts Traffix all plastic I-beam rail (available in 4, 6, 8 or 12 foot lengths) or 1" x 8" or 2" x 8" nominal lumber.

Available with Engineer Grade, High Intensity Grade or Diamond Grade sheeting on one or both sides.

- No. 44000** 44" A-Cade
- No. 44004** 8" x 4 ft. Rail
- No. 44006** 8" x 6 ft. Rail
- No. 44008** 8" x 8 ft. Rail
- No. 44012** 8" x 12 ft. Rail



**BARRICADE TAPE & SANDBAGS**

BARRICADE TAPE		SANDBAG	
<input type="checkbox"/> Left Hand <input type="checkbox"/> Right Hand <input type="checkbox"/> 4" Stripes <input type="checkbox"/> 6" Stripes <input type="checkbox"/> Wood / Aluminum Panels <input type="checkbox"/> Plastic Panels <input type="checkbox"/> Prismatic Hi-Intensity Grade <input type="checkbox"/> Engineer Grade Available lengths: 6" x 50 yd 8" x 50 yd 12" x 50 yd Shipping weights 6 – 12 lbs. ea.		<ul style="list-style-type: none"> <li>• 14" x 26" Hi UV Stabilized</li> <li>• Seamless circular woven polypropylene</li> <li>• Tie cord attached</li> <li>• 100 bags / bundle</li> <li>• Shipping weight: 9 lbs. / 100</li> </ul> <b>No. BSB</b>	

**FENCE**

SAFETY FENCE		SNOW FENCE	
	<ul style="list-style-type: none"> <li>• Easy to handle</li> <li>• Orange polyethelene material</li> <li>• Diamond shape openings</li> <li>• Smooth top construction</li> <li>• Tough and durable</li> <li>• 48" x 50 ft. rolls</li> </ul> <b>No. 48X50E</b>		<ul style="list-style-type: none"> <li>• Heavy duty construction</li> <li>• International orange for high visibility</li> <li>• High density polyethylene</li> <li>• Will not rust or corrode</li> <li>• 40% handling savings compared to wood and wire snow fence</li> <li>• 48" x 50 ft. rolls</li> <li>• Shipping weight: 38 lbs. / roll</li> </ul> <b>No. L300</b>



Michael Todd  
& COMPANY, INC.

CROWD CONTROL & FENCE



FLAGS & BANNERS



**VINYL FLAG**

- 18" x 18" fluorescent red / orange
- Vinyl coated flag
- With stay / stiffener
- 3/4" x 30" hardwood dowel
- Use with LFM for marking new sign locations
- Shipping weight: 8 lbs. / dozen

**No. 1818HD**




**MESH FLAG**

- 18" x 18" heavy duty mesh
- Fluorescent red / orange color
- Resists fraying, tearing and snagging
- Shipping weight: 6 lbs. / dozen

**No. KVF-1830** Flag with 3/4" x 30" hardwood dowel

**No. KVFO-18** Flag without wood dowel



**FLAG MOUNT BRACKET**

- For use with square (1 3/4" and 2") and U-channel posts
- Attaches to Type III uprights
- Holds (2) flags with 3/4" dowels
- Holds (1) warning light
- \*\* Flags/warning light sold separately \*\*
- Shipping weight: 1 lb. each

**No. LFM**



**AIRPORT FLAG**

- 36" x 36" Airport flag
- Alternating 12" x 12" orange and white squares
- Long wearing nylon construction
- Shipping weight: 1 lb. each

**No. SM-AF**



**WIDELOAD BANNER**

- Bright yellow with black letters
- Combo WIDELOAD / OVERSIZE LOAD
- 18" x 8' with 5' rope tie
- Shipping weight: 2 lbs. each

**No. WIDELOAD**



**PENNANT MATERIAL**

- 9" x 12" pennants
- 110 feet long
- 68 pennants / string
- Shipping weight: 3 lbs. each

**No. PC110F** Fluorescent orange  
**No. PC110A** Multi-colored  
**No. PC110B** Red / White / Blue



**ROLLED FLAGGING**

- 18" x 100- yard red poly plastic (sold by the roll)
- Shipping weight: 14 lbs. / roll

**No. BN3A**

- 54" Blaze orange heavy duty reinforced flagging material
- Sold by the yard
- Shipping weight: 1 lb. / yard

**No. 42F**



**PLAIN MARKING FLAGS**

- 4" x 5" flag with 21" wire staff
- Standard colors: red, white, yellow, orange, blue, green
- 100 flags / bundle / 1000 flags / case
- Imprinted flags available by special order (call for details)
- Shipping weight: 26 lbs. / case

**No. ENGF**



**STAKE CHASER® WHISKERS**

- 6" Whiskers attach to wood stakes or 60d nails
- 25 / bundle / 40 bundles / case
- Colors: yellow, green, blue, white, orange, glo pink and red
- Shipping weight: 12 lbs. / case

**No. WHISKER**

FLAGS & BANNERS

FLAGGING, TAPE & MARKERS



**BARRIER TAPE**

- 3" x 1000 ft, Heavy duty 3 MIL, disposable
- 8 rolls / carton
- Shipping weight: 27 lbs. / carton

No. **BARRIER1** CAUTION DO NOT ENTER  
 No. **BARRIER3** CAUTION/CAUTION  
 No. **BARRIER4** CAUTION POLICE LINE DO NOT CROSS



**FLAGGING TAPE**

- 1 3/16" x 150 ft rolls
- 3 MIL PVC material
- Identifies stakes, boundaries, and dangerous areas
- 12 rolls / carton
- Shipping weight: 5 lbs. / carton

No. **FLAGGING**



**THROW-AWAY FLAGS**

- 18" x 18" disposable flag
- Fluorescent red / orange vinyl
- 100 flags / box
- Shipping weight: 6 lbs. / box

No. **03-229-3415**



**FLOOR & ISLE MARKING**

- 2" x 36-yard
- Self-adhesive vinyl tape
- Will adhere to clean surface
- Ideal for marking hazards
- Shipping weight: 1 lb. / roll


No. **T-202** Black / Yellow  
 No. **T-203Y** Yellow  
 No. **T-203R** Red



**NON-SKID TAPE**

- Aggressive 60-grit for maximum anti-slip protection
- For indoor and outdoor use
- Adheres to clean, dry surface
- 4" x 60' roll / Black
- Shipping weight: 3 lbs. / roll

No. **NONSKID-X**



**CONSPICUITY TAPE**

- 2" x 50-yard roll
- 7 year grade
- Superior outdoor durability
- Shipping weight: 3 lbs. / roll

No. **2X50**



**UNDERGROUND TAPE**

- Detectable 5 mil material
- Locate lines without digging
- 3" x 1000' rolls
- Shipping weight: 8 lbs. / 8 roll case

**CAUTION BURIED \* LINE BELOW**

\* ELECTRIC (red) \* FIBER OPTIC (orange)  
 \* GAS (yellow) \* TELEPHONE (orange)  
 \* SEWER (green) \* RECLAIMED WATER  
 \* WATER (blue) (purple)

No. **DT-3**



**DRIVEWAY MARKERS**

- 3/16" x 48" white fiberglass shaft
- Two reflective red stripes
- 360° visibility
- Corrosion free and UV resistant
- No maintenance required
- 25 / box
- Shipping weight: 7 lbs. / box

No. **HVM4**



**HYDRANT MARKERS**

- 3/8" x 60" white fiberglass shaft
- Four red reflective stripes
- Universal mounting bracket
- Chrome plated carbon steel spring mount
- Vandal proof
- Weather proof
- 15 / box
- Shipping weight: 25 lbs. / box

No. **HYDRA-5F**

FLAGGING, TAPE & MARKERS

**SAFETY STORAGE CANS**



No. 10301

**TYPE I SAFETY CANS**

Features single spout style for filling and pouring. Funnel/Hose attachment can be added for accurate pouring. One gallon model has fixed handle with trigger release cap. The two to five gallon models feature swing handle design for easy handling of 60-lb.+ loads.



No. 10821

**TYPE II SAFETY CANS**

These cans have two openings, one for pouring and one for filling. The built-in flexible metal hose is ideal for smooth, accurate, spill-free pouring into small openings. A rear opening permits convenient filling.



No. 11089

**BOLT-ON FUNNEL**

Galvanized hose for steel cans only.  
1" OD x 14" L  
Shipping weight: 1 lb.



No. 11202Y

**I'M EASY FUNNEL**

For steel cans only; 1-gallon and above FM approved.  
½" OD x 11¼" L  
Shipping weight: 1 lb.

All cans feature positive pressure relief mechanism and free-flow arrester. This protects against explosion and rupture and reliably dissipates heat to stop flashback ignition. The superior powder coated finish resists solvents and provides greater impact and scuff resistance. These cans are easy to carry and easy to pour. The heavy duty terne plate construction protects against abrasion and rough use. Each container is tested under pressure to guarantee leakproof construction.

Capacity	Type I Model No.	Size	Weight	Type II Model No.	Size	Hose Size	Weight
1 gallon	10301	7¼" x 11½"	4 lbs.	10327	9⅜" x 6½"	⅝" x 9"	7 lbs.
2 gallon	10501	9½" x 13¼"	5 lbs.	10527	9½" x 12⅝"	⅝" x 9"	8 lbs.
3 gallon	10701	9⅜" x 16⅞"	6 lbs.	10721	11½" x 13½"	1" x 9"	8 lbs.
5 gallon	10801	11½" x 17"	7 lbs.	10821	11½" x 17"	1" x 9"	9 lbs.

**SAFETY CONTAINERS**

**SMOKER'S CEASE FIRE**



- 16½" x 38½"
- Flame retardant sturdy polyethelene
- Unique rain bonnet keeps rain out and discourages other trash
- Lift off lid to remove big galvanized steel pail inside
- ADA Compliant
- Available in Pewter Grey, Adobe Beige, Deco Black, Forest Green, Tera Cotta, High Viz Yellow, Chocolate Brown

Part No.	Color
26800B	Adobe Beige

**LITTER RECEPTACLES**



- Constructed of heavy duty hot dip galvanized, fire-safe steel
- Four disposal openings for easy access on all sides of container
- Leak-proof rigid plastic liners
- Adjustable leg levelers for stability on uneven surfaces
- Large capacity
- Also available with stone side panels

Part No.	Cap.	Size
R36HT-SBK	29 gal.	21" Sq. x 40" H
R38HT-SBK	38 gal.	26" Sq. x 40" H

**STEEL DRUM TOPS**



- Self-closing "PUSH" door
- FM Approved / Self-extinguishing when used with a steel drum and comply with OSHA standards
- Includes thumb screws for securing cover to drum
- 2030 available in Black, Empire Green, Red
- 1855 available in Black, Empire Green, Brown

Part No.	Drum Size	Dimensions
2030	30 gal.	20" Dia.
1855	55 gal.	24.5" Dia.

## TRUCK SAFETY BACK-UP ALARMS

		
<p><b>No. LDA50</b> The best-selling alarm in the industry.</p> <ul style="list-style-type: none"> <li>• Single sound level</li> <li>• 97 decibels</li> <li>• 12 volt system</li> <li>• SAE J994 Types C</li> <li>• Shipping weight: 12 oz.</li> <li>• Dimensions: 4½"L x 1"D x 4½"H</li> </ul>	<p><b>No. 240</b></p> <ul style="list-style-type: none"> <li>• Single sound level</li> <li>• 97 decibels</li> <li>• 12-24 volt systems</li> <li>• SAE J994 Types C</li> <li>• Shipping weight: 10 oz.</li> <li>• Dimensions: 4½"L x 1"D x 4½"H</li> </ul>	<p><b>No. 45AA</b> Housed in rugged, die-cast aluminum.</p> <ul style="list-style-type: none"> <li>• Manually adjustable sound</li> <li>• 87 and 107 decibels</li> <li>• 12-24 volt systems</li> <li>• SAE J994 Types B &amp; D</li> <li>• Vertical or horizontal mounting</li> <li>• Shipping weight: 3 lbs.</li> <li>• Dimensions: 5½"L x 3¾"D x 4¾"H</li> </ul>

## SAFETY TRIANGLE KIT




**No. 0100031**

- Three (3) Triangles packed in a plastic case with handle
- Shipping weight: 14.5 lbs.

## COOLERS

Igloo 400 series industrial water coolers keep water cold, clean and available. High visibility Red & Yellow; won't chip, peel, buckle or rust; easy to clean.

<b>Coolers</b>	<b>Truck Rack</b>
<b>No. 451</b> 5 gallon cooler	<b>No. 9759</b> for 5 gallon cooler
<b>No. 4101</b> 10 gallon cooler	<b>No. 6335</b> for 10 gallon cooler
<b>Metal Cup Dispenser</b>	<b>Cups</b>
<b>No. 9757</b> for 7 oz. straight edge cups	<b>No. 9377</b> 7 oz straight edge cups, 250 cups/sleeve. 20 sleeves/case



## RATCHET STRAP ASSEMBLIES

2" ratchet strap assemblies with long, wide handle

Part No.	End Fitting	Width	Length	MBS*	WLL ^
<b>10R27FHY</b>	Flat Hook	2"	27 ft	10,000 lbs.	3,335 lbs.
<b>10R27JHY</b>	J-Hook	2"	27 ft	10,000 lbs.	3,335 lbs.

\* MBS = minimum break strength

^ WLL = working load limit



## TOW ROPES

3-strand lightweight nylon tow ropes for heavy duty use. Available with hooks or loops

Part No.	Size	Test	Hooks / Loops	Application	Wt. / ea.
<b>TH2078</b>	¾" x 20'	20,000	2 hooks	Large cars, small pick ups	8 lbs.
<b>TH2010</b>	1" x 20'	25,000	2 hooks	Up to 100 HP	10 lbs.
<b>NH20125</b>	1¼" x 20'	37,000	2 loops	Up to 150 HP	8 lbs.
<b>NH2515</b>	1½" x 25'	53,000	2 loops	75 to 150 HP	15 lbs.
<b>NH2520</b>	2" x 25'	92,000	2 loops	150 to 300 HP	25 lbs.
<b>NH25225</b>	2¼" x 25'	125,000	2 loops	275 to 400 HP	36 lbs.



TRUCK SAFETY